#### CERTIFIED STOCKIST OF



MODULAR HOARDING AND FENCING SOLUTIONS COMPACT | REUSABLE | FREESTANDING



# COMPLETELY FREE-STANDING HOARDING

Designed and structurally engineered to free-stand up to a **massive 6mH** with no fixings or bracing required to anything



#### **NO MOVEMENT**

Specifically designed and engineered to support cross bracing – this ensures the hoarding can't move or snake out of position post-install

LOMAX





The clever design of the patented metal plates ensures that the weights cannot be detached from the system without first removing the hoarding panels and the timber studs – no locking devise is required to prohibit unauthorised tampering



SYSTEM

 $\textbf{FOR MORE INFO PLEASE CONTACT:} \quad chris.wood@hoardtek.co.uk$ 

18KO

0345 257 0707





### WHY CHOOSE THE LOMAX® SYSTEM?

IT'S COMPACT – A single stack of weights is only 46cm deep

# **REUSABLE SYSTEM** – Dismantle and re-build again

Dismantle and re-build again and again and again

#### IT'S FREE-STANDING -

No fixings required to anything for indoor or outdoor applications

IT'S SMARTER – Only requires standard 'off the shelf' timber

#### **MODULAR SOLUTION -**

It's easier and cheaper for transport and on-site deployment

IT'S SIMPLE – Very easy modular build process

IT'S STABLE – Once installed, the support post creates a high fulcrum point giving enhanced stability with the least amount of weights

IT'S EASY – Easy assembly and easy to move around – great for staging projects

IT'S GREAT VALUE – Cost effective hire or purchase options

IT'S FLEXIBLE – Can easily work with a wide range of surface gradients, slopes and steps

#### IT'S SAFE AND SECURE -

Once installed correctly, the clever design ensures that the weights cannot be removed before the panels





Structurally Engineered and impact tested from both front and rear

#### A modular hoarding system capable of offering compliance to:

The Australian Impact and Climb Testing Standards AS4687-2022 British Standard BS1722-14 Temporary Works forum (TWf) Crowd Loading



#### **COMPACT** BY DESIGN

A single stack of weights is only 46cm deep.



#### **CLEVER** SUPPORT POST

A support post extends upwards from the counterweights to ensure the fulcrum point of the system is higher / increased -This offers enhanced stability with the least amount of weights.

#### **KEEP ON STACKING**

The interconnecting shape is engineered and designed to restrict movement in any direction, allowing continuous stacking



#### **TIMBER STUD ORIENTATION**

Uses 47 x 97mm C24 Pine logically orientated on the strong axis for extra strength, cleverly held in place with patented metal plates, so it can handle multiple panel thicknesses.

#### **COMPLETELY** FREE-STANDING

Designed and structurally engineered to free-stand up to a massive 6mH with no fixings or bracing required to anything

6mH example shown - only 12 x LOMAX Counter-weights required





### **ASSEMBLE IMPACT CERTIFIED AND WIND-TESTED HOARDING IN 5 SIMPLE STEPS:**











USER TO FOLLOW SPECIFIC GUIDE FOR COUNTER-WEIGHT QUANTITY REQUIREMENT Simply increase the weight quantity for additional panel height or wind speed requirement

## SAFE, COMPACT, FREE-STANDING AND STRUCTURALLY ENGINEERED

The 'Lomax System' offers a range of modular products that can be deployed to build multiple indoor or outdoor hoarding configurations – plus, it can be cleverly used to construct bespoke 'safe pedestrian zone' fencing solutions.

All of our indoor hoarding configurations have been impact tested by structural engineers.

Our indoor hoarding solutions have an extremely narrow footprint of only 46cm and can completely free-stand up to massive 6mH.

Our outdoor hoarding configurations offer a range of free-standing solutions up to heights up to 4mH and wind-speed capabilities up to 122Kph.



### **MULTIPLE OUTDOOR WIND-RATED CONFIGURATIONS**

TWf COMPLIANT



Multiple configurations available

Designed and structurally engineered to free-stand outdoors in various wind speed with a double stack of counterweights that are only 92cm deep

# HOARDING COMPONENTS

#### LOMAX STANDARD COUNTERWEIGHT

(HOARDING AND FENCING APPLICATIONS)

- Rectangular recess designed to receive either a vertical hoarding timber stud or a fencing support post
- Integrated metal plates to retain either the timber stud or the fencing support post
- Circular holes to receive hoarding support posts or fencing panels
- Horizontal track to receive hoarding crossbeam support timbers
- Easy carry handles
- · Interlocking shape for secure stacking
- 18Kg weight





#### LOMAX SUPPORT POSTS - LARGE AND SMALL

- 2x circular guide-prongs to slide into Full Sized Counterweight
- Galvanised steel construction for strength and durability
- Easy to stack, store and transport
- 5Kg weight



# LOMAX DOUBLE SUPPORT POSTS

- 4x circular guide-prongs to slide into double stacked Full Sized Counterweights
- Galvanised steel construction for strength and durability
- Easy to stack, store and transport
- · 9Kg weight

 $\textbf{FOR MORE INFO PLEASE CONTACT:} \quad chris.wood@hoardtek.co.uk$ 

0345 257 0707

